

IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS:

Claims 1 - 9 (cancelled).

1 10. (previously presented) A device for no-hands
2 transfer of a scalpel comprising an injection-molded
3 thermoplastic body including a supporting base,
4 a scalpel blade receiver adjacent one end of the base,
5 a scalpel handle grip adjacent an end of the base
6 opposite said one end, the receiver being arranged to limit
7 freedom of movement of the blade laterally while allowing
8 pitch movement of a handle of a scalpel, the handle grip
9 being arranged to receive a mid-section of the handle of a
10 scalpel in a pitch movement towards the base while its blade
11 is received in the receiver, the grip being arranged to
12 resist longitudinal reverse movement of the scalpel blade
13 out of the receiver and the grip and pitch movement out of
14 the grip with a friction force sufficient to reliably hold a
15 scalpel handle in a gripped position while the device is
16 handled by a surgical nurse to present the scalpel handle in

17 a vertical or near vertical position for grasping by a
18 surgeon,
19 the blade receiver including a narrow throat area to
20 laterally confine the scalpel blade,
21 the throat area including a thin membrane that is
22 adapted to be cut by the scalpel blade.

1 11. (previously presented) A device for no-hands
2 transfer of a scalpel comprising an injection-molded
3 thermoplastic body including a supporting base,
4 a scalpel blade receiver adjacent one end of the base,
5 a scalpel handle grip adjacent an end of the base
6 opposite said one end, the receiver being arranged to limit
7 freedom of movement of the blade laterally while allowing
8 pitch movement of a handle of a scalpel, the handle grip
9 being arranged to receive a mid-section of the handle of a
10 scalpel in a pitch movement towards the base while its blade
11 is received in the receiver, the grip being arranged to
12 resist longitudinal reverse movement of the scalpel blade
13 out of the receiver and the grip and pitch movement out of
14 the grip with a friction force sufficient to reliably hold a
15 scalpel handle in a gripped position while the device is
16 handled by a surgical nurse to present the scalpel handle in

17 a vertical or near vertical position for grasping by a
18 surgeon,
19 the base including a needle presentation zone including
20 an open slot and magnetic sheet material on opposite sides
21 of said slot, said slot being adapted to receive the jaws of
22 a needle holder.

Claims 12 - 14 (cancelled).

1 15. (previously presented) A multi-purpose surgical
2 sharps handling device comprising an injection-molded
3 thermoplastic body including a scalpel holder and a closable
4 sharps receiving container, the scalpel holder having a
5 blade receiving zone and a handle gripping area that
6 cooperate to support a scalpel in a cantilever arrangement
7 whereby a substantial portion of the length of the scalpel
8 handle is free of obstruction and it is thereby readily
9 grasped, the receiving container being adjacent said blade
10 receiving zone and remote from said gripping area,
11 said receiving container comprising a shallow box
12 including a bottom wall, said bottom wall having a magnetic
13 sheet for holding sharps.

1 16. (original) A surgical sharps handling device as
2 set forth in claim 15, wherein said magnetic sheet includes
3 a grid to facilitate counting of sharps received in said
4 container.

1 17. (original) A surgical sharps handling device as
2 set forth in claim 16, including a cover for said container,
3 said cover being sufficiently transparent to permit counting
4 of sharps in said container when said cover is closed.

Claims 18 - 19 (cancelled) . .

1 20. (previously presented) A multi-purpose surgical
2 sharps handling device comprising an injection-molded
3 thermoplastic body including a scalpel holder and a closable
4 sharps receiving container, the scalpel holder having a
5 blade receiving zone and a handle gripping area that
6 cooperate to support a scalpel in a cantilever arrangement
7 whereby a substantial portion of the length of the scalpel
8 handle is free of obstruction and it is thereby readily
9 grasped, the receiving container being adjacent said blade
10 receiving zone and remote from said gripping area,
11 said scalpel holder including a magnetic needle holding
12 area having an open slot, the magnetic holding area

13 straddling said slot having magnetic material on each
14 lateral side of said slot.

Claims 21 and 22 (cancelled).

1 23. (previously presented) A multi-purpose surgical
2 sharps handling device comprising an injection-molded
3 thermoplastic body including a scalpel holder and a closable
4 sharps receiving container, the scalpel holder having a
5 blade receiving zone and a handle gripping area that
6 cooperate to support a scalpel in a cantilever arrangement
7 whereby a substantial portion of the length of the scalpel
8 handle is free of obstruction and it is thereby readily
9 grasped, the receiving container being adjacent said blade
10 receiving zone and remote from said gripping area,
11 the scalpel holder and sharps receiving container being
12 accessible from a common face of the device,
13 a suture pack mounting zone on a face of said device
14 opposite said common face,
15 said mounting zone being partially formed by legs on
16 said opposite face.

1 24. (original) A surgical sharps handling device as
2 set forth in claim 23, wherein said legs include pressure-

3 sensitive adhesive for adhering said device to a supporting
4 surface.

1 25. (previously presented) A multi-purpose surgical
2 sharps handling device comprising an injection-molded
3 thermoplastic body including a scalpel holder and a closable
4 sharps receiving container, the scalpel holder having a
5 blade receiving zone and a handle gripping area that
6 cooperate to support a scalpel in a cantilever arrangement
7 whereby a substantial portion of the length of the scalpel
8 handle is free of obstruction and it is thereby readily
9 grasped, the receiving container being adjacent said blade
10 receiving zone and remote from said gripping area, and
11 a magnetic sheet disposed in said container to
12 magnetically retain sharps in said container.

1 26. (original) A surgical sharps handling device as
2 set forth in claim 25, including a grid visually dividing
3 the magnetic sheet in the container to facilitate counting
4 of sharps deposited therein.

Claims 27 and 28 (cancelled).